PERIODIC INSPECTION REPORT FOR FORKLIFTS

LIFT TRUCK NO	DATE HOUR METER				
INSPECTION ITEM	/IS: 150 HOU	JRS OF OPERATION		MONTHS	
INTERNAL COMBUSTION					
Engine Choke Exhaust System Fuel Pump PCV Valve Tune-up: as required Belts	Filters Oil Filter Fuel Filter Air Filter	Transmission ☐ Transmission Fluid ☐ Neutral Safety Switch ☐ Seat Safety Control	Hydraulic Oil Tank Level Oil Tank Breather Hoses Filter	Cooling ☐ Pressure Cap ☐ Coolant ☐ Radiator Service ☐ Water Pump ☐ Hoses	Propane Power ☐ Propane Cylinder Bracket
	**************************************	ELE	CTRIC	·	
Battery ☐ Voltage ☐ Emergency Disconnect ☐ Lift Interrupt Switch	Drive Control Clean Controller Contactor Air Gap Contactor Circuits Contactor Connections		Drive Motor Clean Amperage Draw Brush & Spring Tension Electric Cables Commutator		Pump Motor Clean Amperage Draw Brush & Spring Tension Electric Cables Pump Coupling Voltage
•	. 1884 (p. 1884) - 1884	A11 116	T TRUCKS		
Wheels Tire Pressure Tire Condition Wheel Bearings Brakes Brake Fluid Foot Pedal Travel Parking or Micro Brake Wheel Cylinders Master Cylinder		Steering	Electrica Battery Starter Alter./Re Head Lie Warning Horn Heater Hour Me	eg./Gen. ghts Lights eter	Upright & Carriage Assembly Roller & Pins Frame Attachment Points Tilt Cylinder Linkage Safety Stops & Latches Cylinder Cap Cross Head & Guides Cross Head Rtng. Bits. Carriage Wear Chain Guard(s) Hose Guard(s) Carriage Indexes Upright Cylinder Clamp Operational Check
YEARLY INSPECT ☐ WHEEL BEARINGS: rem		t, reassemble 🗆 BR	AKES: internal inspection	n 🗀 CHAIN A	NCHOR ASSEMBLY: inspection
INSPECTION OF FORKS: 2000 HOURS OF OPERATION OR EVERY 3 YEARS					
FORK NO			HEEL WEAR Accept		MOUNTING CLIPS Accept Reject Accept Reject

----Forklift Safety is a TEAM Effort ---

EP-ES&H-705B; Rev. 1; 5/25/01; Apprv: